

Northeast Preliminary Fisheries Statistics

Multispecies (May - December 1999) & Scallop (March - December 1999)

Fishery Statistics Office
Northeast Regional Office
National Marine Fisheries Service
Gloucester, MA 01930

TABLE 1.A - PRELIMINARY COD LANDINGS BY STOCK AREA

	OCT - 1999		NOV - 1999		DEC - 1999		MAY-DEC 1999		1999/2000*		1998/1999*		FISHING YEAR LANDINGS 1000 LBS
									MAY-DEC 99 AS A % OF TARGET TAC	TARGET TAC (1000 LBS)	MAY-DEC 98 AS A % OF TARGET TAC	TARGET TAC (1000 LBS)	
	1000 LBS	PERCENT	1000 LBS	PERCENT	1000 LBS	PERCENT	1000 LBS	PERCENT					
GULF OF MAINE	110	14%	122	15%	209	17%	1,534	12%	89%	1,724	139%	3,931	
OTTER TRAWL	35	4%	56	7%	107	9%	740	6%	43%		75%		
GILLNET	58	7%	45	6%	71	6%	642	5%	37%		57%		
HOOK	5	1%	3	0%	8	1%	47	0%	3%		3%		
OTHER GEARS	11	1%	18	2%	23	2%	105	1%	6%		4%		
GEORGES BANK	674	86%	670	85%	1,022	83%	11,702	88%	99%	11,804	98%	10,362	
OTTER TRAWL	406	52%	448	57%	590	48%	6,682	50%	57%		57%		
GILLNET	191	24%	66	8%	76	6%	2,298	17%	19%		14%		
HOOK	28	4%	94	12%	237	19%	2,008	15%	17%		19%		
OTHER GEARS	49	6%	62	8%	119	10%	713	5%	6%		8%		
ALL AREAS	784	100%	793	100%	1,231	100%	13,236	100%	98%	13,528	109%	14,293	
OTTER TRAWL	441	56%	504	64%	697	57%	7,422	56%	55%		62%		
GILLNET	249	32%	112	14%	147	12%	2,941	22%	22%		26%		
HOOK	34	4%	97	12%	245	20%	2,055	16%	15%		14%		
OTHER GEARS	60	8%	80	10%	142	12%	818	6%	6%		7%		
LANDINGS - ALL AREAS													
FISHING YEAR 1999/2000	784		793		1,231		13,236						-
FISHING YEAR 1998/1999	1,102		1,295		2,088		15,605						23,673
FISHING YEAR 1997/1998	1,838		1,492		1,944		19,935						28,840
FISHING YEAR 1996/1997	2,158		1,785		1,744		23,276						31,961

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment. (see the attached statistical chart).

Cod Stock Areas:

Gulf of Maine: 464, 465, 511-515

Georges Bank: 521-637

2. Landings in live weight.

3. State landings for Connecticut are estimated for the January - December 1999 period.

4. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

TABLE 1.B - PRELIMINARY COD LANDINGS BY MAJOR PORTS AND STATES, MAY-DECEMBER 1999

PORT/STATE	MAY-DEC 99	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		GEORGES BANK		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
	1000 LBS	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%
PORTLAND,ME	755	253	34%	501	66%	604	80%	79	10%	7	1%	65	9%
GLOUCESTER,MA	2,320	628	27%	1,692	73%	1,416	61%	388	17%	454	20%	61	3%
BOSTON,MA	929	12	1%	916	99%	917	99%	0	0%	0	0%	11	1%
NEW BEDFORD,MA	3,634	17	0%	3,617	100%	3,624	100%	0	0%	0	0%	9	0%
PT JUDITH, RI	167	0	0%	166	100%	139	83%	1	0%	0	0%	27	16%
MAINE	859	345	40%	514	60%	679	79%	102	12%	10	1%	68	8%
NEW HAMPSHIRE	235	195	83%	40	17%	62	26%	168	71%	1	0%	4	2%
MASSACHUSETTS	11,721	994	8%	10,728	92%	6,327	54%	2,661	23%	2,044	17%	689	6%
RHODE ISLAND	342	0	0%	342	100%	305	89%	9	3%	0	0%	28	8%
CONNECTICUT	38	0	0%	38	100%	37	99%	0	0%	0	0%	0	1%
NEW YORK	40	0	0%	40	100%	12	30%	0	0%	0	0%	29	70%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	13,236	1,534	12%	11,702	88%	7,422	56%	2,941	22%	2,055	16%	818	6%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Cod Stock Areas: Gulf of Maine: 464, 465, 511-515
Georges Bank: 521-637

2. State landings for Connecticut are estimated for the May - December 1999 period.

3. Landings in live weight.

4. Gear Data are based on vessel trip reports.

TABLE 2.A - PRELIMINARY HADDOCK LANDINGS BY STOCK AREA

	OCT - 1999		NOV - 1999		DEC - 1999		MAY-DEC 99		1999/2000*		1998/1999*		FISHING YEAR* LANDINGS 1000 LBS
	1000 LBS	PERCENT	1000 LBS	PERCENT	1000 LBS	PERCENT	1000 LBS	PERCENT	MAY-DEC 99 AS A % OF TARGET TAC	TARGET TAC (1000 LBS)	MAY-DEC 98 AS A % OF TARGET TAC	TARGET TAC (1000 LBS)	
GULF OF MAINE	114	18%	150	45%	66	9%	696	14%					
OTTER TRAWL	94	15%	83	25%	54	7%	509	10%					
GILLNET	15	2%	51	15%	10	1%	146	3%					
HOOK	1	0%	1	0%	1	0%	19	0%					
OTHER GEARS	4	1%	15	4%	0	0%	22	0%					
GEORGES BANK	498	81%	183	55%	680	91%	4,370	86%	35%	12,346	25%	10,576	
OTTER TRAWL	498	81%	182	55%	676	91%	4,103	80%	33%		23%		
GILLNET	0	0%	0	0%	1	0%	178	3%	1%		1%		
HOOK	0	0%	1	0%	3	0%	58	1%	0%		1%		
OTHER GEARS	0	0%	0	0%	0	0%	30	1%	0%		0%		
SNE/MID-ATLANTIC	6	1%	0	0%	0	0%	43	1%					
OTTER TRAWL	6	1%	0	0%	0	0%	43	1%					
GILLNET	0	0%	0	0%	0	0%	0	0%					
HOOK	0	0%	0	0%	0	0%	0	0%					
OTHER GEARS	0	0%	0	0%	0	0%	0	0%					
ALL AREAS	618	100%	333	100%	745	100%	5,109	100%					
OTTER TRAWL	597	97%	265	80%	730	98%	4,656	91%					
GILLNET	16	3%	51	15%	11	2%	324	6%					
HOOK	1	0%	2	1%	4	1%	77	1%					
OTHER GEARS	4	1%	15	4%	0	0%	52	1%					
LANDINGS - ALL AREAS													
FISHING YEAR 1999/2000	618		333		745		5,109						-
FISHING YEAR 1998/1999	560		378		557		4,217						5,996
FISHING YEAR 1997/1998	715		397		379		2,773						4,799
FISHING YEAR 1996/1997	120		128		135		1,022						1,542

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment. (see the attached statistical chart).

Haddock stock Areas:

Gulf of Maine: 464, 465, 511-515

Georges Bank: 521-526, 533, 534, 537-539, 541-543, 551, 552, 561 & 562.

Southern New England / Mid-Atlantic: 611-639

2. Landings in live weight.

3. State landings for Connecticut are estimated for the January - December 1999 period.

4. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

TABLE 2.B - PRELIMINARY HADDOCK LANDINGS BY MAJOR PORTS AND STATES, MAY-DECEMBER 1999

PORT/STATE	MAY-DEC 99 1000 LBS	STOCK AREAS						GEAR TYPES							
		GULF OF MAINE		GEORGES BANK		MID-ATLANTIC		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%
PORTLAND,ME	1,268	473	37%	795	63%	0	0%	1,226	97%	26	2%	7	1%	9	1%
GLOUCESTER,MA	1,651	139	8%	1,484	90%	28	2%	1,532	93%	95	6%	23	1%	1	0%
BOSTON,MA	781	14	2%	761	97%	6	1%	745	95%	0	0%	0	0%	36	5%
NEW BEDFORD,MA	869	2	0%	867	100%	0	0%	869	100%	0	0%	0	0%	0	0%
PT JUDITH, RI	78	0	0%	78	100%	0	0%	78	100%	0	0%	0	0%	0	0%
MAINE	1,283	486	38%	796	62%	0	0%	1,239	97%	28	2%	7	1%	9	1%
NEW HAMPSHIRE	57	40	69%	17	30%	0	0%	1	3%	55	97%	0	0%	0	0%
MASSACHUSETTS	3,533	170	5%	3,329	94%	34	1%	3,184	90%	240	7%	70	2%	39	1%
RHODE ISLAND	194	0	0%	194	100%	0	0%	194	100%	0	0%	0	0%	0	0%
CONNECTICUT	29	0	0%	29	100%	0	0%	29	100%	0	0%	0	0%	0	0%
NEW YORK	13	0	0%	4	31%	9	69%	9	69%	0	0%	0	0%	4	31%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	5,109	696	14%	4,370	86%	43	1%	4,656	91%	324	6%	77	1%	52	1%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Haddock stock Areas: Gulf of Maine: 464, 465, 511-515

Georges Bank: 521-526, 533, 534, 537-539, 541-543, 551, 552, 561 & 562.

Southern New England / Mid-Atlantic: 611-639

2. State landings for Connecticut are estimated for the May - December 1999 period.

3. Landings in live weight.

4. Gear Data are based on vessel trip reports.

TABLE 3.A - PRELIMINARY YELLOWTAIL FLOUNDER LANDINGS BY STOCK AREA

	OCT - 1999		NOV - 1999		DEC - 1999		MAY-DEC 1999		1999/2000*		1998/1999*		FISHING YEAR* LANDINGS 1000 LBS
									MAY-DEC 99 AS A % OF TARGET TAC	TARGET TAC (1000 LBS)	MAY-DEC 98 AS A % OF TARGET TAC	TARGET TAC (1000 LBS)	
	1000 LBS	PERCENT	1000 LBS	PERCENT	1000 LBS	PERCENT	1000 LBS	PERCENT					
GULF OF MAINE	6	2%	8	2%	7	0%	143	2%					
OTTER TRAWL	6	2%	7	1%	7	0%	113	2%					
GILLNET	0	0%	0	0%	0	0%	27	0%					
HOOK	0	0%	0	0%	0	0%	0	0%					
OTHER GEARS	0	0%	1	0%	0	0%	2	0%					
CAPE COD	138	43%	302	58%	421	19%	1,885	32%					
OTTER TRAWL	129	40%	295	56%	397	18%	1,590	27%					
GILLNET	5	1%	6	1%	23	1%	282	5%					
HOOK	0	0%	0	0%	0	0%	0	0%					
OTHER GEARS	5	1%	2	0%	1	0%	12	0%					
GEORGES BANK	100	31%	133	25%	1,623	75%	2,877	49%	48%	6,008	72%	4,729	
OTTER TRAWL	78	24%	112	21%	1,622	75%	2,745	47%	46%		72%		
GILLNET	0	0%	0	0%	0	0%	0	0%	0%		0%		
HOOK	0	0%	0	0%	0	0%	0	0%	0%		0%		
OTHER GEARS	22	7%	21	4%	1	0%	131	2%	2%		0%		
SNE/MID-ATLANTIC	74	23%	79	15%	123	6%	914	16%	37%	2,458	47%	1,795	
OTTER TRAWL	70	22%	78	15%	119	5%	896	15%	36%		45%		
GILLNET	0	0%	0	0%	0	0%	1	0%	0%		0%		
HOOK	0	0%	0	0%	0	0%	0	0%	0%		0%		
OTHER GEARS	5	1%	1	0%	3	0%	18	0%	1%		1%		
ALL AREAS	319	100%	523	100%	2,174	100%	5,818	100%					
OTTER TRAWL	283	89%	492	94%	2,146	99%	5,344	92%					
GILLNET	5	1%	6	1%	23	1%	311	5%					
HOOK	0	0%	0	0%	0	0%	0	0%					
OTHER GEARS	32	10%	25	5%	5	0%	163	3%					
LANDINGS - ALL AREAS													
FISHING YEAR 1999/2000	319		523		2,174		5,818						-
FISHING YEAR 1998/1999	1,183		553		1,347		5,649						9,544
FISHING YEAR 1997/1998	354		406		699		3,233						5,643
FISHING YEAR 1996/1997	299		315		711		3,188						6,267

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment. (see the attached statistical chart).

Yellowtail Stock Areas:

Gulf of Maine: 464, 465, 511-513, 515.

Cape Cod: 514, 521.

Georges Bank: 522, 525, 542, 543, 551, 552, 561, 562.

Southern New England / Mid-Atlantic: 526, 533, 534, 537-539, 541, 611-639.

2. Landings in live weight.

3. State landings for Connecticut are estimated for the January - December 1999 period.

4. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

TABLE 3.B - PRELIMINARY YELLOWTAIL FLOUNDER LANDINGS BY MAJOR PORTS AND STATES, MAY-DECEMBER 1999

PORT/STATE	MAY-DEC 99 1000 LBS	STOCK AREAS								GEAR TYPES							
		GULF OF MAINE		CAPE COD		GEORGES BANK & GEORGES BANK SOUTH		SNE, SNE SOUTH & MID ATLANTIC		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%
PORTLAND,ME	16	3	20%	1	3%	13	76%	0	0%	6	35%	0	0%	0	0%	11	65%
GLOUCESTER,MA	592	26	4%	408	69%	158	27%	0	0%	489	83%	102	17%	0	0%	1	0%
BOSTON,MA	113	5	5%	64	56%	41	36%	3	3%	113	100%	0	0%	0	0%	0	0%
NEW BEDFORD,MA	3,468	28	1%	721	21%	2,482	72%	238	7%	3,349	97%	0	0%	0	0%	119	3%
PT JUDITH, RI	370	0	0%	0	0%	61	16%	309	84%	369	100%	0	0%	0	0%	1	0%
MAINE	20	7	35%	1	3%	13	62%	0	0%	9	46%	0	0%	0	0%	11	54%
NEW HAMPSHIRE	79	70	88%	9	11%	0	0%	1	1%	56	71%	23	29%	0	0%	0	0%
MASSACHUSETTS	4,915	66	1%	1,875	38%	2,707	55%	267	5%	4,499	92%	287	6%	0	0%	129	3%
RHODE ISLAND	468	0	0%	0	0%	104	22%	364	78%	465	99%	0	0%	0	0%	3	1%
CONNECTICUT	66	0	0%	0	0%	35	53%	31	47%	57	86%	0	0%	0	0%	9	14%
NEW YORK	252	0	0%	0	0%	9	4%	243	96%	252	100%	0	0%	0	0%	0	0%
NEW JERSEY	16	0	0%	0	0%	8	51%	8	49%	5	33%	0	0%	0	0%	11	67%
OTHER NORTHEAST	1	0	0%	0	0%	0	68%	0	32%	0	0%	0	0%	0	0%	1	100%
TOTAL	5,818	143	2%	1,885	32%	2,877	49%	914	16%	5,344	92%	311	5%	0	0%	163	3%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Yellowtail Stock Areas: Gulf of Maine: 464, 465, 511-513, 515.

Cape Cod: 514, 521.

Georges Bank: 522, 525, 542, 543, 551, 552, 561, 562.

Southern New England / Mid-Atlantic: 526, 533, 534, 537-539, 541, 611-639.

2. State landings for Connecticut are estimated for the May - December 1999 period.

3. Landings in live weight.

4. Gear data are based on vessel trip reports.

TABLE 4.A - PRELIMINARY PRORATED WHITE HAKE LANDINGS

		OCT-99		NOV-99		DEC-99		MAY-DEC 99		FISHING YEAR*
		1000 LBS	PERCENT	1000 LBS	PERCENT	1000 LBS	PERCENT	1000 LBS	PERCENT	LANDINGS 1000 LBS
SNE/NORTH		450	98%	381	99%	268	97%	4,358	99%	
	OTTER TRAWL	346	76%	342	89%	232	84%	2,300	52%	
	GILLNET	104	23%	35	9%	36	13%	1,870	43%	
	HOOK	1	0%	1	0%	0	0%	134	3%	
	OTHER GEAR	0	0%	3	1%	0	0%	53	1%	
MID-ATLANTIC		7	2%	4	1%	7	3%	24	1%	
	OTTER TRAWL	7	2%	3	1%	7	3%	21	0%	
	GILLNET	0	0%	1	0%	0	0%	3	0%	
	HOOK	0	0%	0	0%	0	0%	0	0%	
	OTHER GEAR	0	0%	0	0%	0	0%	0	0%	
ALL AREAS		457	100%	385	100%	275	100%	4,382	100%	
	OTTER TRAWL	353	77%	345	90%	239	87%	2,321	53%	
	GILLNET	104	23%	36	9%	36	13%	1,873	43%	
	HOOK	1	0%	1	0%	0	0%	134	3%	
	OTHER GEAR	0	0%	3	1%	0	0%	53	1%	
LANDINGS	1999/200	457		385		275		4,382		-
LANDINGS	1998/199	607		460		419		4,360		5,647
LANDINGS	1997/199	625		450		316		4,096		4,935
LANDINGS	1996/199	886		520		269		6,063		6,852

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment. (see the attached statistical chart).

White Hake Stock Areas:

SNE&North:: 464-465, 500-562

Mid-Atlantic: 600-639

2. Landings in live weight.
3. State landings for Connecticut are estimated for the January - December 1999 period.
4. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

TABLE 4.B - PRELIMINARY WHITE HAKE LANDINGS BY MAJOR PORTS AND STATES, MAY-DECEMBER 1999

PORT/STATE	STOCK AREAS					GEAR TYPES							
	MAY-DEC 99	SNE/MA		MID-ATLANTIC		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
	1000 LBS	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%
PORTLAND,ME	1,971	1,970	100%	0	0%	1,211	61%	621	32%	93	5%	46	2%
GLOUCESTER,MA	1,204	1,204	100%	0	0%	557	46%	608	50%	39	3%	0	0%
BOSTON,MA	183	178	97%	6	3%	183	100%	0	0%	0	0%	0	0%
NEW BEDFORD,MA	83	81	98%	2	2%	83	100%	0	0%	0	0%	0	0%
PT JUDITH, RI	19	19	100%	0	0%	19	100%	0	0%	0	0%	0	0%
MAINE	2,212	2,212	100%	0	0%	1,373	62%	700	32%	93	4%	46	2%
NEW HAMPSHIRE	563	562	100%	2	0%	26	5%	537	95%	0	0%	0	0%
MASSACHUSETTS	1,539	1,529	99%	10	1%	856	56%	635	41%	41	3%	7	0%
RHODE ISLAND	51	51	99%	1	1%	51	100%	0	0%	0	0%	0	0%
CONNECTICUT	4	0	8%	4	92%	4	100%	0	0%	0	0%	0	0%
NEW YORK	12	4	35%	8	65%	11	89%	1	11%	0	0%	0	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	4,382	4,358	99%	24	1%	2,321	53%	1,873	43%	134	3%	53	1%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

White Hake stock Area SNE/North: 464-465, 500-562.

Mid-Atlantic: 600-639.

2. State landings for Connecticut are estimated for the May - December 1999 period.

3. Landings in live weight.

4. Gear Data are based on vessel trip reports.

TABLE 5.A - PRELIMINARY PRORATED AMERICAN PLAICE LANDINGS

		OCT-99		NOV-99		DEC-99		MAY-DEC 99		FISHING YEAR*
		1000 LBS	PERCENT	1000 LBS	PERCENT	1000 LBS	PERCENT	1000 LBS	PERCENT	LANDINGS
GULF OF MAINE/GB		345	96%	482	100%	565	99%	4,974	99%	
	OTTER TRAWL	343	95%	476	98%	565	99%	4,860	97%	
	GILLNET	0	0%	0	0%	0	0%	91	2%	
	HOOK	0	0%	0	0%	0	0%	0	0%	
	OTHER GEAR	2	1%	6	1%	0	0%	23	0%	
SNE / MID-ATLANTIC		15	4%	1	0%	5	1%	40	1%	
	OTTER TRAWL	14	4%	1	0%	5	1%	38	1%	
	GILLNET	1	0%	0	0%	0	0%	2	0%	
	HOOK	0	0%	0	0%	0	0%	0	0%	
	OTHER GEAR	0	0%	0	0%	0	0%	0	0%	
ALL AREAS		360	100%	483	100%	570	100%	5,014	100%	
	OTTER TRAWL	357	99%	477	99%	570	100%	4,898	98%	
	GILLNET	1	0%	0	0%	0	0%	93	2%	
	HOOK	0	0%	0	0%	0	0%	0	0%	
	OTHER GEAR	2	1%	6	1%	0	0%	23	0%	
LANDINGS	1999/2000	360		483		570		5,014		-
LANDINGS	1998/1999	525		396		491		6,028		7,787
LANDINGS	1997/1998	598		430		378		6,461		8,504
LANDINGS	1996/1997	784		580		485		7,815		10,032

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment. (see the attached statistical chart).

American Plaice Stock Areas:

Gulf of Maine/GB: 464-465, 511-526, 551-552, 561-562.

Southern New England/Mid-Atlantic: 533-534, 537-539, 541-543, 611-639.

2. Landings in live weight.
3. State landings for Connecticut are estimated for the January - December 1999 period.
4. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

TABLE 5.B - PRELIMINARY AMERICAN PLAICE LANDINGS BY MAJOR PORTS AND STATES, MAY-DECEMBER 1999

PORT/STATE	STOCK AREAS					GEAR TYPES							
	MAY-DEC 99	GOM/ GB		SNE/ MID-ATLANTIC		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
	1000 LBS	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%
PORTLAND,ME	1,647	1,634	99%	13	1%	1,642	100%	1	0%	0	0%	4	0%
GLOUCESTER,MA	998	997	100%	1	0%	929	93%	56	6%	0	0%	12	1%
BOSTON,MA	403	389	97%	14	3%	399	99%	0	0%	0	0%	4	1%
NEW BEDFORD,MA	705	700	99%	4	1%	703	100%	0	0%	0	0%	2	0%
PT JUDITH, RI	60	59	99%	1	1%	60	100%	0	0%	0	0%	0	0%
MAINE	2,226	2,213	99%	13	1%	2,222	100%	1	0%	0	0%	4	0%
NEW HAMPSHIRE	150	150	100%	0	0%	138	92%	12	8%	0	0%	0	0%
MASSACHUSETTS	2,402	2,383	99%	20	1%	2,306	96%	78	3%	0	0%	18	1%
RHODE ISLAND	224	223	100%	1	0%	224	100%	0	0%	0	0%	0	0%
CONNECTICUT	7	4	58%	3	42%	7	98%	0	0%	0	0%	0	2%
NEW YORK	3	0	0%	3	100%	1	23%	2	77%	0	0%	0	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	5,014	4,974	99%	40	1%	4,898	98%	93	2%	0	0%	23	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Winter Flounder stock / Gulf of Maine/GB: 464-465, 511-526, 551-552, 561-562.

SNE/MA: 533-534, 537-539, 541-543, 611-639.

2. State landings for Connecticut are estimated for the May - December 1999 period.

3. Landings in live weight.

4. Gear Data are based on vessel trip reports.

TABLE 6.A - PRELIMINARY PRORATED WINTER FLOUNDER LANDINGS

		OCT-99		NOV-99		DEC-99		MAY-DEC 99		FISHING YEAR*
		1000 LBS	PERCENT	1000 LBS	PERCENT	1000 LBS	PERCENT	1000 LBS	PERCENT	1000 LBS
GULF OF MAINE		55	7%	69	6%	92	11%	574	7%	
	OTTER TRAWL	53	7%	68	5%	88	10%	453	5%	
	GILLNET	2	0%	1	0%	4	0%	119	1%	
	HOOK	0	0%	0	0%	0	0%	0	0%	
	OTHER GEAR	0	0%	1	0%	0	0%	2	0%	
GEORGES BANK		97	12%	307	24%	194	22%	1,702	20%	
	OTTER TRAWL	92	11%	286	23%	192	22%	1,668	20%	
	GILLNET	1	0%	0	0%	0	0%	1	0%	
	HOOK	0	0%	0	0%	0	0%	0	0%	
	OTHER GEAR	4	1%	21	2%	2	0%	33	0%	
SNE / MID-ATLANTIC		653	81%	878	70%	578	67%	6,110	73%	
	OTTER TRAWL	624	78%	867	69%	574	66%	5,972	71%	
	GILLNET	15	2%	7	1%	2	0%	105	1%	
	HOOK	0	0%	0	0%	0	0%	1	0%	
	OTHER GEAR	14	2%	4	0%	2	0%	32	0%	
ALL AREAS		805	100%	1,254	100%	864	100%	8,387	100%	
	OTTER TRAWL	769	96%	1,221	97%	854	99%	8,093	96%	
	GILLNET	17	2%	8	1%	5	1%	226	3%	
	HOOK	0	0%	0	0%	0	0%	2	0%	
	OTHER GEAR	18	2%	25	2%	5	1%	67	1%	
LANDINGS	1999/2000	805		1,254		864		8,387		-
LANDINGS	1998/1999	1,299		913		176		8,921		11,246
LANDINGS	1997/1998	1,532		911		176		9,576		11,891
LANDINGS	1996/1997	1,078		926		283		8,531		10,668

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment. (see the attached statistical chart).

Winter Flounder Stock Areas:

Gulf of Maine: 464-465, 511-515

Georges Bank: 522, 525, 542-543, 551-552, 561-562

Southern New England/Mid-Atlantic: 521, 526, 533-534, 537-539, 541, 611-639

2. Landings in live weight.

3. State landings for Connecticut are estimated for the January - December 1999 period.

4. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

TABLE 6.B - PRELIMINARY WINTER FLOUNDER LANDINGS BY MAJOR PORTS AND STATES, MAY-DECEMBER 1999

PORT/STATE	STOCK AREAS							GEAR TYPES							
	MAY-DEC 99	GULF OF MAINE		GEORGES BANK		SNE/MID-ATLANTIC		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
	1000 LBS	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%
PORTLAND,ME	6	1	18%	5	76%	0	6%	6	95%	0	0%	0	0%	0	5%
GLOUCESTER,MA	256	113	44%	65	25%	78	30%	155	60%	100	39%	0	0%	1	0%
BOSTON,MA	508	42	8%	23	5%	443	87%	508	100%	0	0%	0	0%	0	0%
NEW BEDFORD,MA	5,157	84	2%	1,536	30%	3,537	69%	5,111	99%	0	0%	0	0%	46	1%
PT JUDITH, RI	664	0	0%	12	2%	652	98%	658	99%	0	0%	0	0%	6	1%
MAINE	7	2	24%	5	71%	0	5%	6	95%	0	0%	0	0%	0	4%
NEW HAMPSHIRE	13	12	98%	0	0%	0	2%	8	63%	5	37%	0	0%	0	0%
MASSACHUSETTS	6,426	560	9%	1,658	26%	4,207	65%	6,156	96%	220	3%	2	0%	48	1%
RHODE ISLAND	795	0	0%	21	3%	774	97%	787	99%	1	0%	0	0%	7	1%
CONNECTICUT	308	0	0%	16	5%	293	95%	307	100%	0	0%	0	0%	1	0%
NEW YORK	401	0	0%	2	0%	400	100%	400	100%	0	0%	0	0%	1	0%
NEW JERSEY	436	0	0%	1	0%	435	100%	429	98%	0	0%	0	0%	8	2%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	8,387	574	7%	1,702	20%	6,110	73%	8,093	96%	226	3%	2	0%	67	1%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Winter Flounder stock . Gulf of Maine: 464, 465, 511-515

Georges Bank: 522, 525, 542-543, 551-552 & 561-562.

Southern New England / Mid-Atlantic: 521, 526, 533-534, 537-539, 541, 611-639

2. State landings for Connecticut are estimated for the May - December 1999 period.

3. Landings in live weight.

4. Gear Data are based on vessel trip reports.

TABLE 7.A - PRELIMINARY PRORATED WITCH FLOUNDER LANDINGS

		OCT-99		NOV-99		DEC-99		MAY-DEC 99		FISHING YEAR* LANDINGS
		1000 LBS	PERCENT	1000 LBS	PERCENT	1000 LBS	PERCENT	1000 LBS	PERCENT	1000 LBS
GOM/GB		261	97%	272	97%	335	97%	3,074	96%	
	OTTER TRAWL	259	96%	267	95%	335	97%	2,993	94%	
	GILLNET	1	0%	2	1%	0	0%	63	2%	
	HOOK	0	0%	0	0%	0	0%	0	0%	
	OTHER GEAR	2	1%	3	1%	0	0%	17	1%	
SNE / MID-ATLANTIC		8	3%	9	3%	9	3%	118	4%	
	OTTER TRAWL	8	3%	9	3%	9	3%	118	4%	
	GILLNET	0	0%	0	0%	0	0%	0	0%	
	HOOK	0	0%	0	0%	0	0%	0	0%	
	OTHER GEAR	0	0%	0	0%	0	0%	1	0%	
ALL AREAS		269	100%	281	100%	344	100%	3,192	100%	
	OTTER TRAWL	267	99%	276	98%	344	100%	3,111	97%	
	GILLNET	1	0%	2	1%	0	0%	63	2%	
	HOOK	0	0%	0	0%	0	0%	0	0%	
	OTHER GEAR	2	1%	3	1%	0	0%	18	1%	
LANDINGS	1999/200	269		281		344		3,192		-
LANDINGS	1998/199	240		164		214		2,654		4,044
LANDINGS	1997/199	241		186		259		2,709		4,144
LANDINGS	1996/199	352		275		324		3,321		4,524

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment. (see the attached statistical chart).

Witch Flounder Stock Areas:

GOM/GB: 464-465, 511-526, 551-552, 561-562.

SNE / Mid-Atlantic: 533-534, 537-539, 541-543, 611-639.

2. Landings in live weight.
3. State landings for Connecticut are estimated for the January - December 1999 period.
4. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

TABLE 7.B - PRELIMINARY WITCH FLOUNDER LANDINGS BY MAJOR PORTS AND STATES, MAY-DECEMBER 1999

PORT/STATE	STOCK AREAS					GEAR TYPES							
	MAY-DEC 99	GOM/ GB		SNE/ MA		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
	1000 LBS	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%
PORTLAND,ME	870	862	99%	8	1%	867	100%	0	0%	0	0%	3	0%
GLOUCESTER,MA	590	590	100%	1	0%	553	94%	33	6%	0	0%	4	1%
BOSTON,MA	276	268	97%	7	3%	272	99%	0	0%	0	0%	4	1%
NEW BEDFORD,MA	486	475	98%	11	2%	482	99%	0	0%	0	0%	4	1%
PT JUDITH, RI	103	31	30%	72	70%	103	100%	0	0%	0	0%	0	0%
MAINE	1,317	1,308	99%	9	1%	1,314	100%	0	0%	0	0%	3	0%
NEW HAMPSHIRE	36	35	100%	0	0%	31	86%	5	14%	0	0%	0	0%
MASSACHUSETTS	1,590	1,571	99%	19	1%	1,520	96%	58	4%	0	0%	12	1%
RHODE ISLAND	234	153	65%	81	35%	234	100%	0	0%	0	0%	0	0%
CONNECTICUT	3	1	31%	2	69%	2	73%	0	0%	0	0%	1	27%
NEW YORK	6	4	57%	3	43%	6	100%	0	0%	0	0%	0	0%
NEW JERSEY	6	1	19%	5	81%	4	74%	0	0%	0	0%	2	26%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	3,192	3,074	96%	118	4%	3,111	97%	63	2%	0	0%	18	1%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Witch Flounder stock / Gulf of Maine/GB: 464-465, 511-526, 551-552, 561-562.

SNE/MA: 533-534, 537-539, 541-543, 611-639.

2. State landings for Connecticut are estimated for the May - December 1999 period.

3. Landings in live weight.

4. Gear Data are based on vessel trip reports.

TABLE 8.A - PRELIMINARY PRORATED WINDOWPANE FLOUNDER LANDINGS

		OCT-99		NOV-99		DEC-99		MAY-DEC 99		FISHING YEAR*
		1000 LBS	PERCENT	1000 LBS	PERCENT	1000 LBS	PERCENT	1000 LBS	PERCENT	LANDINGS 1000 LBS
GOM/GB		2	37%	35	90%	7	24%	69	44%	
	OTTER TRAWL	2	36%	35	90%	6	23%	68	43%	
	GILLNET	0	1%	0	0%	0	0%	0	0%	
	HOOK	0	0%	0	0%	0	0%	0	0%	
	OTHER GEAR	0	0%	0	0%	0	1%	1	1%	
SNE/MA		4	63%	4	10%	20	76%	89	56%	
	OTTER TRAWL	4	63%	4	10%	20	76%	89	56%	
	GILLNET	0	0%	0	0%	0	0%	0	0%	
	HOOK	0	0%	0	0%	0	0%	0	0%	
	OTHER GEAR	0	0%	0	0%	0	0%	0	0%	
ALL AREAS		6	100%	38	100%	27	100%	158	100%	
	OTTER TRAWL	6	99%	38	100%	26	99%	157	99%	
	GILLNET	0	1%	0	0%	0	0%	0	0%	
	HOOK	0	0%	0	0%	0	0%	0	0%	
	OTHER GEAR	0	0%	0	0%	0	1%	1	1%	
LANDINGS	1999/2000	6		38		27		158		-
LANDINGS	1998/1999	28		37		59		413		610
LANDINGS	1997/1998	26		318		56		647		1,379
LANDINGS	1996/1997	186		308		145		1,388		1,898

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment. (see the attached statistical chart).

Windowpane Flounder Stock Areas:

Gulf of Maine/Georges Bank: 464-465, 511-515, 521-522, 525, 542-543, 551-552, 561-562.

Southern New England/Mid-Atlantic: 526, 533-534, 537-539, 611-639.

2. Landings in live weight.
3. State landings for Connecticut are estimated for the January - December 1999 period.
4. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

TABLE 8.B - PRELIMINARY WINDOWPANE FLOUNDER LANDINGS BY MAJOR PORTS AND STATES, MAY-DECEMBER 1999

PORT/STATE	STOCK AREAS					GEAR TYPES							
	MAY-DEC 99	GOM/ GB		SNE/ MA		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
	1000 LBS	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%
PORTLAND,ME	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
GLOUCESTER,MA	2	2	100%	0	0%	2	98%	0	2%	0	0%	0	0%
BOSTON,MA	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW BEDFORD,MA	59	56	95%	3	5%	58	98%	0	0%	0	0%	1	2%
PT JUDITH, RI	10	0	1%	10	99%	10	100%	0	0%	0	0%	0	0%
MAINE	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	1	1	100%	0	0%	1	100%	0	0%	0	0%	0	0%
MASSACHUSETTS	65	61	93%	4	7%	64	98%	0	0%	0	0%	1	2%
RHODE ISLAND	14	2	16%	12	84%	14	100%	0	0%	0	0%	0	0%
CONNECTICUT	2	1	30%	1	70%	2	100%	0	0%	0	0%	0	0%
NEW YORK	13	4	30%	9	70%	13	99%	0	0%	0	0%	0	1%
NEW JERSEY	63	0	0%	63	100%	63	100%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	158	69	44%	89	56%	157	99%	0	0%	0	0%	1	1%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Windowpane Flounder Gulf of Maine/GB: 464-465, 511-515, 521-522, 525, 542-543, 551-552, 561-562.

SNE/Mid-Atlantic: 526, 533-534, 537-539, 611-639.

2. State landings for Connecticut are estimated for the May - December 1999 period.

3. Landings in live weight.

4. Gear Data are based on vessel trip reports.

TABLE 9 - PRELIMINARY MULTISPECIES LANDINGS **

FISHING YEAR*	OCT - 1999		NOV - 1999		DEC - 1999		MAY-DEC 99		1999/2000*		1998/1999*		FISHING YEAR* LANDINGS 1000 LBS
	1000 LBS	PERCENT	1000 LBS	PERCENT	1000 LBS	PERCENT	1000 LBS	PERCENT	MAY-DEC 99 AS A % OF TARGET TAC	TARGET TAC (1000 LBS)	MAY-DEC 98 AS A % OF TARGET TAC	TARGET TAC (1000 LBS)	
Atlantic Pollock	1999/2000	519	21%	902	27%	922	30%	5,806	21%	10%			
	1998/1999	732	21%	843	29%	1,436	40%	7,828	25%			14%	
	1997/1998	875	22%	842	27%	1,049	35%	6,983	22%				
	1996/1997	444	12%	570	18%	722	25%	5,058	15%				
Redfish	1999/2000	65	3%	52	2%	59	2%	485	2%	1%			
	1998/1999	56	2%	71	2%	58	2%	500	2%			1%	
	1997/1998	55	1%	24	1%	36	1%	322	1%				
	1996/1997	44	1%	38	1%	33	1%	443	1%				
White Hake	1999/2000	457	18%	385	11%	275	9%	4,382	16%	8%			
	1998/1999	607	17%	460	16%	419	12%	4,360	14%			8%	
	1997/1998	625	16%	450	14%	316	11%	4,096	13%				
	1996/1997	886	23%	520	16%	269	9%	6,063	18%				
American Plaice	1999/2000	360	15%	483	14%	570	19%	5,014	18%	9%			
	1998/1999	525	15%	396	14%	491	14%	6,028	19%			11%	
	1997/1998	598	15%	430	14%	378	13%	6,461	21%				
	1996/1997	784	21%	580	18%	485	16%	7,815	23%				
Winter Flounder	1999/2000	805	32%	1,254	37%	864	28%	8,387	31%	15%			
	1998/1999	1,299	37%	913	32%	881	25%	9,627	31%			17%	
	1997/1998	1,532	39%	911	29%	877	30%	10,277	33%				
	1996/1997	1,078	29%	926	29%	968	33%	9,216	28%				
Witch Flounder	1999/2000	269	11%	281	8%	344	11%	3,192	12%	6%			
	1998/1999	240	7%	164	6%	214	6%	2,654	8%			5%	
	1997/1998	241	6%	186	6%	259	9%	2,709	9%				
	1996/1997	352	9%	275	9%	324	11%	3,321	10%				
Windowpane Flounder	1999/2000	6	0%	38	1%	27	1%	158	1%	0%			
	1998/1997	28	1%	37	1%	59	2%	413	1%			1%	
	1997/1998	26	1%	318	10%	56	2%	647	2%				
	1996/1997	186	5%	308	10%	145	5%	1,388	4%				
All 7 Species - Total	1999/2000	2,481	100%	3,396	100%	3,062	100%	27,423	100%	49%	56,200		-
	1998/1997	3,486	100%	2,883	100%	3,558	100%	31,409	100%		56%	56,200	42,218
	1997/1998	3,952	100%	3,162	100%	2,970	100%	31,495	100%				42,840
	1996/1997	3,775	100%	3,217	100%	2,946	100%	33,304	100%				42,093

1. Landings in live weight.

2. State landings for Connecticut are estimated for the January - December 1999 period.

3. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

** For the 7 species under the Multispecies FMP other than cod, haddock and yellowtail flounder.

TABLE 9.A - PRELIMINARY SILVER HAKE LANDINGS BY STOCK AREA

	OCT - 1999		NOV - 1999		DEC - 1999		MAY-DEC 1999		1999/2000*		FISHING YEAR* LANDINGS 1000 LBS
									MAY-DEC 99 AS A % OF TARGET TAC	TARGET TAC (1000 LBS)	
	1000 LBS	PERCENT	1000 LBS	PERCENT	1000 LBS	PERCENT	1000 LBS	PERCENT			
GULF OF MAINE/GB-NORTH	1,149	51%	1,091	56%	170	11%	8,740	45%			
OTTER TRAWL	1,107	49%	1,080	55%	167	11%	8,596	44%			
GILLNET	3	0%	11	1%	3	0%	80	0%			
HOOK	0	0%	0	0%	0	0%	10	0%			
OTHER GEARS	38	2%	0	0%	0	0%	53	0%			
GB-SOUTH/MID-ATLANTIC	1,118	49%	870	44%	1,385	89%	10,784	55%			
OTTER TRAWL	1,114	49%	869	44%	1,383	89%	10,677	55%			
GILLNET	3	0%	0	0%	2	0%	9	0%			
HOOK	0	0%	0	0%	0	0%	75	0%			
OTHER GEARS	0	0%	1	0%	0	0%	24	0%			
ALL AREAS	2,267	100%	1,961	100%	1,555	100%	19,523	100%			
OTTER TRAWL	2,221	98%	1,950	99%	1,549	100%	19,273	99%			
GILLNET	7	0%	11	1%	4	0%	89	0%			
HOOK	0	0%	0	0%	0	0%	85	0%			
OTHER GEARS	38	2%	1	0%	1	0%	76	0%			
LANDINGS - ALL AREAS											
FISHING YEAR 1999/2000	2,267		1,961		1,555		19,523				-
FISHING YEAR 1998/1999	2,580		2,574		1,920		22,197				34,007
FISHING YEAR 1997/1998	2,771		2,281		2,245		23,014				33,763
FISHING YEAR 1996/1997	3,111		2,838		2,484		24,427				35,771

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment. (see the attached statistical chart).

Cod Stock Areas:

Gulf of Maine/GB North: 464-465, 511-515, 521-522 & 561

Georges Bank South/Mid-Atlantic: 525-552, 611-639.

2. Landings in live weight.

3. State landings for Connecticut are estimated for the January - December 1999 period.

4. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

TABLE 9.B - PRELIMINARY SILVER HAKE LANDINGS BY MAJOR PORTS AND STATES, MAY-DECEMBER 1999

PORT/STATE	STOCK AREAS					GEAR TYPES							
	MAY-DEC 99	GOM/ GB NORTH		GB SOUTH/ MA		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
	1000 LBS	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%
PORTLAND,ME	133	133	100%	0	0%	122	92%	0	0%	10	8%	0	0%
GLOUCESTER,MA	2,065	2,065	100%	0	0%	1,999	97%	66	3%	0	0%	0	0%
BOSTON,MA	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW BEDFORD,MA	106	5	4%	101	96%	104	98%	2	2%	0	0%	0	0%
PT JUDITH, RI	5,755	1,749	30%	4,006	70%	5,755	100%	0	0%	0	0%	0	0%
MAINE	135	135	100%	0	0%	125	92%	0	0%	10	7%	0	0%
NEW HAMPSHIRE	232	232	100%	0	0%	220	95%	11	5%	0	0%	1	0%
MASSACHUSETTS	3,996	3,827	96%	169	4%	3,874	97%	70	2%	0	0%	52	1%
RHODE ISLAND	5,945	1,750	29%	4,195	71%	5,848	98%	2	0%	73	1%	23	0%
CONNECTICUT	4,214	1,798	43%	2,416	57%	4,214	100%	0	0%	0	0%	0	0%
NEW YORK	4,491	996	22%	3,495	78%	4,483	100%	5	0%	3	0%	0	0%
NEW JERSEY	510	2	0%	509	100%	510	100%	0	0%	0	0%	1	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	19,523	8,740	45%	10,784	55%	19,273	99%	89	0%	85	0%	76	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Silver Hake Stock Areas Gulf of Maine/GB North: 464-465, 511-515, 521-522, 561.

GB South/Mid-Atlantic: 525-552, 611-639.

2. State landings for Connecticut are estimated for the May - December 1999 period.

3. Landings in live weight.

4. Gear Data are based on vessel trip reports.

TABLE 10.A - PRELIMINARY MONKFISH LANDINGS BY MANAGEMENT AREA

	OCT - 1999		NOV - 1999		DEC - 1999		MAY-DEC 99		1999/2000*		FISHING YEAR* LANDINGS 1000 LBS
									MAY-DEC 99 AS A % OF TARGET TAC	TARGET TAC (1000 LBS)	
	1000 LBS	PERCENT	1000 LBS	PERCENT	1000 LBS	PERCENT	1000 LBS	PERCENT			
NORTHERN AREA	1,611	36%	1,673	35%	1,774	42%	14,316	40%	114%	12,507	
OTTER TRAWL	928	21%	1,154	24%	1,446	35%	10,289	29%	82%		
GILLNET	452	10%	356	7%	249	6%	3,017	8%	24%		
HOOK	0	0%	0	0%	0	0%	1	0%	0%		
OTHER GEARS	231	5%	162	3%	79	2%	1,009	3%	8%		
SOUTHERN AREA	2,866	64%	3,099	65%	2,406	58%	21,550	60%	162%	13,280	
OTTER TRAWL	1,670	37%	1,195	25%	839	20%	8,833	25%	67%		
GILLNET	578	13%	1,568	33%	1,389	33%	9,469	26%	71%		
HOOK	0	0%	0	0%	0	0%	0	0%	0%		
OTHER GEARS	619	14%	336	7%	178	4%	3,248	9%	24%		
ALL AREAS	4,477	100%	4,772	100%	4,180	100%	35,866	100%	139%	25,787	
OTTER TRAWL	2,598	58%	2,349	49%	2,286	55%	19,122	53%	74%		
GILLNET	1,030	23%	1,924	40%	1,638	39%	12,486	35%	48%		
HOOK	0	0%	0	0%	0	0%	1	0%	0%		
OTHER GEARS	850	19%	498	10%	256	6%	4,257	12%	17%		
LANDINGS - ALL AREAS											
FISHING YEAR 1999/2000	4,477		4,772		4,180		35,866				-
FISHING YEAR 1998/1999	4,538		6,367		5,208		40,506				59,326
FISHING YEAR 1997/1998	5,407		5,535		6,236		44,481				62,782
FISHING YEAR 1996/1997	5,457		7,232		5,621		43,702				61,673

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment. (see the attached statistical chart).

Monkfish Management Areas:

Northern Area: 464, 465, 511-515, 521-522, 561-562.

Southern Area: 525-526, 537-539, 533-534, 541-543, 611-639.

2. Landings in live weight.

3. State landings for Connecticut are estimated for the May - December 1999 period.

4. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

TABLE 10.B - PRELIMINARY MONKFISH LANDINGS BY MAJOR PORTS AND STATES, MAY-DECEMBER 1999

PORT/STATE	MAY-DEC 99 1000 LBS	MANAGEMENT AREAS				GEAR TYPES							
		NORTHERN AREA		SOUTHERN AREA		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%
PORTLAND,ME	3,316	3,284	99%	33	1%	3,142	95%	149	4%	0	0%	25	1%
GLOUCESTER,MA	2,420	2,410	100%	9	0%	1,474	61%	940	39%	0	0%	6	0%
BOSTON,MA	1,458	1,026	70%	432	30%	1,453	100%	0	0%	0	0%	5	0%
NEW BEDFORD,MA	10,642	3,476	33%	7,166	67%	7,295	69%	186	2%	0	0%	3,161	30%
PT JUDITH, RI	3,087	159	5%	2,928	95%	2,287	74%	789	26%	0	0%	11	0%
MAINE	4,869	4,818	99%	51	1%	4,428	91%	409	8%	0	0%	31	1%
NEW HAMPSHIRE	1,295	1,239	96%	56	4%	51	4%	1,226	95%	0	0%	18	1%
MASSACHUSETTS	15,990	7,504	47%	8,486	53%	10,433	65%	2,350	15%	1	0%	3,207	20%
RHODE ISLAND	5,802	694	12%	5,108	88%	3,647	63%	2,112	36%	0	0%	43	1%
CONNECTICUT	398	6	2%	392	98%	180	45%	83	21%	0	0%	135	34%
NEW YORK	1,020	7	1%	1,014	99%	209	20%	810	79%	0	0%	2	0%
NEW JERSEY	4,336	6	0%	4,330	100%	102	2%	3,852	89%	0	0%	382	9%
OTHER NORTHEAST	2,155	42	2%	2,113	98%	72	3%	1,644	76%	0	0%	440	20%
TOTAL	35,866	14,316	40%	21,550	60%	19,122	53%	12,486	35%	1	0%	4,257	12%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Monkfish Management Areas:

Northern Area: 464-465, 511-515, 521-522, 561-562.

Southern Area: 525-526, 537-539, 533-534, 541-543, 611-639.

2. State landings for Connecticut are estimated for the May - December 1999 period.
3. Landings in live weight.
4. Gear Data are based on vessel trip reports.

TABLE 11.A - PRELIMINARY SEA SCALLOP LANDINGS BY STOCK AREA

	OCT- 1999		NOV- 1999		DEC- 1999		MAR 99-DEC 99		FISHING YEAR*
	1000 LBS	PERCENT	1000 LBS	PERCENT	1000 LBS	PERCENT	1000 LBS	PERCENT	LANDINGS 1000 LBS
GULF OF MAINE	36	2%	42	3%	313	26%	481	2%	
OTTER TRAWL	0	0%	1	0%	5	0%	15	0%	
DREDGE	36	2%	29	2%	298	25%	443	2%	
OTHER GEAR	0	0%	13	1%	9	1%	22	0%	
SOUTH CHANNEL	448	21%	220	16%	267	22%	3,394	17%	
OTTER TRAWL	0	0%	0	0%	0	0%	3	0%	
DREDGE	448	21%	220	16%	267	22%	3,390	16%	
OTHER GEAR	0	0%	0	0%	0	0%	0	0%	
GEORGES BANK NORTH	1,212	57%	659	47%	163	14%	5,899	29%	
OTTER TRAWL	13	1%	0	0%	2	0%	40	0%	
DREDGE	1,148	54%	659	47%	125	11%	5,628	27%	
OTHER GEAR	52	2%	0	0%	36	3%	231	1%	
GEORGES BANK SOUTH	45	2%	66	5%	189	16%	1,117	5%	
OTTER TRAWL	1	0%	0	0%	0	0%	2	0%	
DREDGE	45	2%	66	5%	168	14%	1,065	5%	
OTHER GEAR	0	0%	0	0%	21	2%	51	0%	
SOUTHERN NEW ENGLAND	28	1%	13	1%	1	0%	205	1%	
OTTER TRAWL	11	1%	13	1%	0	0%	137	1%	
DREDGE	17	1%	0	0%	1	0%	68	0%	
OTHER GEAR	0	0%	0	0%	0	0%	0	0%	
NEW YORK BIGHT	149	7%	134	10%	102	9%	3,841	19%	
OTTER TRAWL	2	0%	2	0%	1	0%	47	0%	
DREDGE	148	7%	125	9%	99	8%	3,777	18%	
OTHER GEAR	0	0%	7	1%	1	0%	17	0%	
DELMARVA	214	10%	267	19%	154	13%	5,412	26%	
OTTER TRAWL	131	6%	189	13%	29	2%	1,669	8%	
DREDGE	65	3%	61	4%	102	9%	3,426	17%	
OTHER GEAR	17	1%	17	1%	23	2%	317	2%	
VIRGINIA/NORTH CAROLINA	0	0%	0	0%	0	0%	216	1%	
OTTER TRAWL	0	0%	0	0%	0	0%	0	0%	
DREDGE	0	0%	0	0%	0	0%	216	1%	
OTHER GEAR	0	0%	0	0%	0	0%	0	0%	
ALL AREAS	2,134	100%	1,402	100%	1,188	100%	20,565	100%	
OTTER TRAWL	158	7%	206	15%	38	3%	1,914	9%	
DREDGE	1,906	89%	1,159	83%	1,060	89%	18,012	88%	
OTHER GEAR	69	3%	37	3%	91	8%	640	3%	
LANDINGS - ALL AREAS									
FISHING YEAR 1999/2000	2,134		1,402		1,188		20,565		-
FISHING YEAR 1998/1999	705		811		731		10,891		12,229
FISHING YEAR 1997/1998	649		716		793		12,513		13,892
FISHING YEAR 1996/1997	989		1,261		895		16,376		17,656

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment. (see the attached statistical chart).

Sea Scallop Stock Areas:

Gulf of Maine: 511-515.
 South Channel: 521, 522, 526.
 Georges Bank North: 561, 562.
 Georges Bank South: 525.
 Southern New England: 537-539.
 New York Bight: 611-616.
 Delmarva: 621-623, 625-627.
 Virginia/North Carolina: 631-638.

2. Landings in meat weight.

3. State landings for Connecticut are estimated for the January - December 1999 period.

4. Gear data are based on vessel trip reports.

* Fishing Year is March 1 through February 28.
 5/18/00

TABLE 11.B - PRELIMINARY SEA SCALLOP LANDINGS BY MAJOR PORTS AND STATES, MARCH - DECEMBER 1999

PORT/STATE	STOCK AREAS																
	MAR - DEC 99	GULF OF MAINE		SOUTH CHANNEL		GEORGES BANK NORTH		GEORGES BANK SOUTH		SOUTHERN NEW ENGLAND		NEW YORK BIGHT		DELMARVA		VIRGINIA & NORTH CAROLINA	
	1000 LBS	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%	1000 LBS	%
NEW BEDFORD,MA	11,440	140	1%	3,262	29%	5,054	44%	1,044	9%	158	1%	1,577	14%	183	2%	23	0%
CAPE MAY, NJ	1,857	0	0%	0	0%	99	5%	11	1%	0	0%	449	24%	1,295	70%	4	0%
NORFOLK, VA	5,265	0	0%	0	0%	188	4%	0	0%	1	0%	1,035	20%	3,852	73%	188	4%
MAINE	356	301	85%	26	7%	13	4%	0	0%	0	0%	15	4%	0	0%	0	0%
NEW HAMPSHIRE	29	14	49%	14	49%	0	1%	0	0%	0	0%	0	0%	0	0%	0	0%
MASSACHUSETTS	11,547	165	1%	3,289	28%	5,101	44%	1,049	9%	158	1%	1,579	14%	183	2%	23	0%
RHODE ISLAND	123	0	0%	1	1%	60	49%	0	0%	22	18%	27	22%	13	10%	0	0%
CONNECTICUT	605	0	0%	52	9%	201	33%	47	8%	22	4%	284	47%	0	0%	0	0%
NEW JERSEY	2,610	0	0%	11	0%	336	13%	21	1%	1	0%	885	34%	1,351	52%	4	0%
VIRGINIA	5,268	0	0%	0	0%	188	4%	0	0%	1	0%	1,035	20%	3,856	73%	188	4%
OTHER NORTHEAST*	27	0	0%	0	0%	0	0%	0	0%	1	3%	15	58%	10	37%	0	1%
TOTAL	20,565	481	2%	3,394	17%	5,899	29%	1,117	5%	205	1%	3,841	19%	5,412	26%	216	1%

PORT/STATE	GEAR						
	MAR - DEC 99	OTTER TRAWL		DREDGE		OTHER GEARS	
	1000 LBS	1000 LBS	%	1000 LBS	%	1000 LBS	%
NEW BEDFORD,MA	11,440	147	1%	11,011	96%	283	2%
CAPE MAY, NJ	1,857	628	34%	1,068	57%	161	9%
NORFOLK, VA	5,265	1,060	20%	4,036	77%	168	3%
MAINE	356	10	3%	336	94%	10	3%
NEW HAMPSHIRE	29	5	16%	24	84%	0	0%
MASSACHUSETTS	11,547	147	1%	11,116	96%	283	2%
RHODE ISLAND	123	22	18%	85	69%	15	12%
CONNECTICUT	605	18	3%	586	97%	1	0%
NEW JERSEY	2,610	629	24%	1,819	70%	162	6%
VIRGINIA	5,268	1,063	20%	4,037	77%	168	3%
OTHER NORTHEAST*	27	20	73%	7	26%	0	1%
TOTAL	20,565	1,914	9%	18,012	88%	640	3%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Sea Scallop Stock Areas: Gulf of Maine: 511- 515.

South Channel: 521, 522, 526.

Georges Bank North: 561, 562.

Georges Bank South: 525.

Southern New England: 537-539.

New York Bight: 611-616

Delmarva: 621-623, 625-627.

Virginia/North Carolina: 631-638.

2. State landings for Connecticut are estimated for March - December 1999.

3. Landings in meat weight.

4. Gear data are based on vessel trip reports.

*Includes North Carolina

